

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6788	(713/150-154,160,162.ccls or 709/217-219,227-230,238,249.ccls. or 726/2-3,11-15.ccls.) and @ad<"20000303"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 11:57
S2	124	((("network address" adj translat\$3) or nat) with (ipsec or isakmp)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 16:23
S3	22	S2 and @ad<"20000303"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 12:11
S4	6	S3 and (spi or "security parameter index")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 12:00
S5	0	S4 and ((preserv\$3 or nontranslat\$4) with (port or socket or "service address"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 13:17
S6	0	S3 and ((preserv\$3 or nontranslat\$4) with (port or socket or "service address"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 13:44
S7	2153	((preserv\$3 or nontranslat\$4) with (port or socket or "service address"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 12:06
S8	2	S7 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 12:06

S9	17	S3 and (port or socket or "service address")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 12:11
S10	52	((preserv\$3 or nontranslat\$4 or static or reserved) with (port or socket or "service address")) with nat	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 14:10
S11	131	((preserv\$3 or nontranslat\$4 or static or reserved) with (port or socket or "service address")) with (nat or gateway)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 13:18
S12	36	S11 and @ad<"20000303"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 13:18
S13	7	nat with ((preserv\$3 or nontranslat\$4) with (port or socket or "service address"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 13:44
S14	0	S13 and @ad<"20000303"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 13:44
S15	1	wo-200167258-\$.did.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 15:21
S16	0	pct/us01/06257.pct.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 15:23

S17	0	((("network address" adj translat\$3) or nat) with (ipsec or isakmp) with passthrough	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 16:24
S18	0	(ipsec or isakmp) with passthrough	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 16:24
S19	40	(ipsec or isakmp) with pass adj through	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 16:24
S20	1	S19 and @ad<"20000303"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 16:24
S21	2	"6112181".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 16:26
S22	132	((preserv\$3 or nontranslat\$4 or static or reserved) with (port or socket or "service address")) with (nat or gateway)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 14:38
S23	36	S22 and @ad<"20000303"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 14:38
S24	59	((preserv\$3 or nontranslat\$4 or static or reserved) with (port or socket or "service address")) with (firewall)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 14:38

S25	6	S24 and @ad<"20000303"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 14:38
S26	2	"5856974".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 10:00